



# Kiosk / Digital Signage



LEAD WITH  
TECHNOLOGY

*Share your message with bright, engaging displays. Perfect for retail, hospitality and public spaces, our digital signage systems deliver high quality visual content to captivate and inform your audience.*

📍 Address: 512A, Gera Imperium Alpha,  
Kharadi, Pune-411014.


🌐 Website: [www.softlogic.co.in](http://www.softlogic.co.in)

✉ Email ID: [sales@softlogic.co.in](mailto:sales@softlogic.co.in)

☎ Mobile: +91 72197 96011  
+91 95117 47200  
+91 98230 11165  
+91 73852 75904

## WHY DIGITAL SIGNAGE?

- Enhanced Customer Experience: Immediate access to relevant content.
- Cost-Effective: Reduce the need for printed materials, less labor-intensive.
- Real-time Updates: Information can be updated instantly.
- Improved Engagement: Interactive features increase user involvement.
- Data-Driven: Track behavior and preferences.



## IDEAL FOR

- Retail: Digital menus, promotions, product recommendations.
- Healthcare: Wayfinding, patient check-ins, health information.
- Education: Campus directories, interactive learning.
- Transportation: Flight/train/bus schedules, advertising, wayfinding.

📍 Address: 512A, Gera Imperium Alpha,  
Kharadi, Pune-411014.

🌐 Website: [www.softlogic.co.in](http://www.softlogic.co.in)

✉ Email ID: [sales@softlogic.co.in](mailto:sales@softlogic.co.in)

☎ Mobile: +91 72197 96011  
+91 95117 47200  
+91 98230 11165  
+91 73852 75904

## TECHNICAL SPECIFICATIONS

	Model No.		DS55
Panel	LCD size		55"
	Active Display Area		1209.6 x 680.4mm
	Resolution		1920 x 1080pixels
	Response Time		8(Typ.)(G to G)(ms)
	Frequency		60Hz
	Viewing Angles		178°(H)/178°(V)
	Life Time		30,000hrs(min.)
System	Android		7/9.
	Storage	RAM	2GB / 4GB
		SSD	16GB/ 64GB / 128GB
Touch screen	Type		10 points Capacitive touch
Power Supply	Voltage		100V~240V,50-60HZ
	Power consumption(max.)		≤160W
	Standby power consumption		< 0.5W
Environment	Working Temperature		0°C ~ 40°C
	Storage Temperature		-10°C ~ 60°C
	Storage Humidity		10% ~ 90%RH Non-Condensing
	Working Humidity		20% ~ 85%RH Non-Condensing
Structure	Back Shell		Sheet Metal/Black
	Front Frame		Aluminum Alloy, Silver or Black

📍 Address: 512A, Gera Imperium Alpha,  
Kharadi, Pune-411014.

🌐 Website: [www.softlogic.co.in](http://www.softlogic.co.in)

✉ Email ID: [sales@softlogic.co.in](mailto:sales@softlogic.co.in)

☎ Mobile: +91 72197 96011  
+91 95117 47200  
+91 98230 11165  
+91 73852 75904

## FUNCTIONS

- Supports dual 6/8/10-bit LVDS displays (up to 1920×1080) with independent content
- Built-in digital signage software with timer switch and USB upgrade
- Plays images, videos, music, PPTs, APKs, Office files, web content & more
- Customizable layouts: text, logos, weather, date/time, backgrounds
- Intelligent scheduling with timed playlists, auto-updates, and remote/USB publishing
- Program preview and multi-level audit for accurate display
- Portrait or landscape mode, seamless playback without black screens
- Remote monitoring, fault alerts, and detailed reporting
- Supports WAN, LAN, WiFi, VPN, 3G networking
- User-friendly interface; unattended operation with smart scheduling



📍 Address: 512A, Gera Imperium Alpha,  
Kharadi, Pune-411014.

🌐 Website: [www.softlogic.co.in](http://www.softlogic.co.in)

✉ Email ID: [sales@softlogic.co.in](mailto:sales@softlogic.co.in)

☎ Mobile: +91 72197 96011  
+91 95117 47200  
+91 98230 11165  
+91 73852 75904